

Shenzhen, China

RoHS, CE, FCC, SGS

Skymen

JP-180G

Negotiation

In Stock

T/T

Wooden case

800 pcs per month

1

28KHz 900W 53L Ultrsonic Cleaning Machine With Filter System

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

- Model:
- Tank Volume:
- Ultrasonic Power:
- Heating Power:
- Frequency:
- Internal Tank Size:
- Filter Cycle System:
- Gross Weight:
- Highlight:

JP-180G
53L
900W
1500W
40KHz/28KHz
500X350X300mm (L*W*H)
1 Set
140KG

53L Ultrsonic Cleaning Machine, 900W Ultrsonic Cleaning Machine, Jewellery Cleaner Ultrasonic 28KHz



More Images



Product Description


53L Ultrsonic Cleaning Machine Remove Oil Rust Wax With Filter System

Features


- Digital LED screen display
 Fast and effective cleaning, convenient for users
- 3. Clean rings, earrings, necklaces, new features of diamonds,
- 4. Use only tap water or add a small amount of detergent for better cleaning
- 5. The cleaning effect is obvious
- 6. Cleaning items shine like new ones 7. Compact cover design to reduce noise

Specification:

JP-180G
53L
500X350X300mm
18pcs 50W of every transducer
900W
1500W
28KHz/40KHz
1 set
790*1000*700mm
860*1060*855mm
0~99 minutes adjustable
Room temperature~99 adjustable
SUS 201
1mm
2mm
SUS 304 default, can be SUS 316
AC 110V ; AC 220V
120KG
140KG Wrapped by film in wooden case
12 working days
1 year warranty period, technique support all time
CE, RoHS, FCC, SGS
Filter the dirty water; keep the water clear in tank; lower the frequency of changing water












Same series with different size: Ultrasoni Heating Tank size Volume Transducer С Power Model Power L*W*H (mm) (L) (W) (W) (pcs) 500X300X25 38L JP-120G 600W 1500W 12pcs 0 500X350X30 JP-180G 53L 900W 1500W 18pcs 0 550X400X35 JP-240G 77L 1200W 3000W 24pcs 0 550X450X40 JP-300G 99L 1500W 3000W 30pcs 0 800X300X40 JP-301G 96L 1500W 3000W 30pcs 0 600X500X45 JP-360G 135L 1800W 4500W 36pcs 0 700X500X50 JP-480G 175L 2400W 6000W 48pcs 0 800X600X55 246L 6000W JP-600G 3000W 60pcs 0 1000X600X6 JP-720G 360L 3600W 9000W 72pcs 00 1000X900X6 540L JP-1108G 5400W 18000W 108pcs 00 1200X1000X JP-1144G 960L 7200W 27000W 144pcs 800

Cleaning Effect show:



Working Principle:

The principle of the ultrasonic cleaning machine is mainly to convert the sound energy of the power ultrasonic frequency source into mechanical vibration through the transducer, and to irradiate the ultrasonic wave into the cleaning liquid in the groove through the cleaning tank wall. Due to the radiation of the ultrasonic waves, the microbubbles in the liquid in the tank can be kept vibrated by the action of the sound waves. The adsorption of the dirt and the surface of the cleaning member is destroyed, causing fatigue damage of the dirt layer to be rejected, and the vibration of the gas type bubble scrubs the solid surface.





O Raw Material



O Transducer Installation

Assembling



O Board Cutting



Skymen Transducer Wiring



O Age Testing

Our RD Team



O Tank Welding



O Tank Polishing



O Skymen Factory Shipping



